

Package: fueleconomy (via r-universe)

August 31, 2024

Title EPA Fuel Economy Data

Version 1.0.0.9000

Description Fuel economy data from the EPA, 1985-2015, conveniently packaged for consumption by R users.

License CC0

URL <https://github.com/hadley/fueleconomy>

BugReports <https://github.com/hadley/fueleconomy/issues>

Depends R (>= 3.1.0)

Suggests dplyr

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

Repository <https://hadley.r-universe.dev>

RemoteUrl <https://github.com/hadley/fueleconomy>

RemoteRef HEAD

RemoteSha d590bcf6ccca63b6219525bf1964c2fc38daa460

Contents

common	2
vehicles	2

Index	4
--------------	----------

common

Common models

Description

These models have at least 10 years worth of data. This dataset is suitable for a left-join designed to restrict the number of observations to a more manageable level.

Usage

```
common
```

Format

A dataset with variables make, model, n (total number of models) and years (total number of model-years).

Examples

```
if (require("dplyr")) {  
  vehicles %>% semi_join(common)  
}
```

vehicles

Vehicle data

Description

Fuel economy data from the EPA, 1985-2015. This dataset contains selected variables, and removes vehicles with incomplete data (e.g. no drive train data)

Usage

```
vehicles
```

Format

A data frame with variables:

id Unique EPA identifier

make Manufacturer

model Model name

year Model year

class EPA vehicle size class, <http://www.fueleconomy.gov/feg/ws/wsData.shtml#VClass>

trans Transmission

drive Drive train
cyl Number of cylinders
displ Engine displacement, in litres
fuel Fuel type
hwy Highway fuel economy, in mpg
cty City fuel economy, in mpg

Source

<http://www.fueleconomy.gov/feg/download.shtml>

Examples

```
if (require("dplyr")) {  
  vehicles  
  vehicles %>% group_by(year) %>% summarise(cty = mean(cty))  
}
```

Index

* **datasets**

common, [2](#)

vehicles, [2](#)

common, [2](#)

vehicles, [2](#)